

# SAFETY DATA SHEET

Issuing Date 10-Nov-2011

Revision Date 10-Jan-2019

**Revision Number** 3



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION

**Product identifier** 

Product Name JET-LUBE® TF-15®

Other means of identification

Product Code(s) WPS-JLI-019

Synonyms TF-15®

Recommended use of the chemical and restrictions on use

Recommended Use Sealant Lubricants, Greases and Release Products

Uses advised against No information available

Details of the supplier of the safety data sheet

**Supplier Identification** 

Address Jet-Lube of Canada LTD

Units 8 & 9, 1260 - 34 Avenue

Nisku, AB, Canada

T9E 1K7

**Telephone** JLC Office 1.780.463.7441 Toll Free 1.888.771.7775

E-mail Sales@jetlubecanada.com

Emergency telephone number

**Company Emergency Phone** 

Number

1-800-699-6318

Emergency Telephone Number CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

# 2. HAZARDS IDENTIFICATION

Classification

Skin sensitization Category 1



.

Appearance Black Physical state Paste / Gel Odor Pungent

#### GHS Label elements, including precautionary statements

## Warning

#### **Hazard statements**

May cause an allergic skin reaction



### **Precautionary Statements - Prevention**

Do not handle until all safety precautions have been read and understood Use only outdoors or in a well-ventilated area Wear personal protective equipment/face protection Wash face, hands and any exposed skin thoroughly after handling

## **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

#### Skin

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

Other information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substance**

Not applicable.

#### <u>Mixture</u>

Synonyms TF-15®

Chemical Name	CAS-No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through	74869-21-9	40-50	-	-



C50. may contain organic salts of alkali metals, alkaline earth metals, etc.				
Ptfe	9002-84-0	15-20	-	-
Talc	14807-96-6	10-15	-	-
Mica	12001-26-2	5-10	-	-
1,3,4-Thiadiazole, 2,5-bis(octyldithio)-	13539-13-4	<1.0	-	-

# 4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance. IF exposed or concerned: Get medical advice/attention.

**Inhalation** If breathing has stopped, give artificial respiration. Get medical attention immediately.

Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

should) give oxygen.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician or Poison Control

Center immediately.

**Self-protection of the first aider** Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Do not breathe vapor or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8

for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

**Unsuitable extinguishing media** CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the Produ

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.



**Hazardous Combustion Products** 

Carbon oxides. Thermal decomposition of product above 300 degrees (C), can create Carbonyl fluoride, which combines with air and moisture and hydrolyses to Hydrogen

Fluoride and Carbon Dioxide. Other PTFE degradation products include;

perfluoroisobutylene, tetrafluoroethylene, hexafluoropropylene, carbon monoxide and

trifluoromethane.

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Do not breathe vapor

or mist. Use personal protective equipment as required. Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate

exhaust ventilation. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters



#### Exposure Limits

Chemical Name		ACGIH TLV		OSHA PEL		NIOSH IDLH		
Talc	Talc TWA: 2 mg/m		g/m³	(vacated) TWA: 2 mg/m <sup>3</sup>		IDLH: 1000 mg/m <sup>3</sup> containg no		
14807-96-6						asbestos and <1% quartz		
							TWA: 2 mg/m <sup>3</sup>	
Mica		TWA: 3 mg	g/m³	TWA: 20 mppcf (<1% crystalline		IDLH: 1500 mg/m <sup>3</sup> containing		
12001-26-2					silica)	<1% quartz		
				3 mg/m³ (vacated)		TWA: 3 mg/m³ respirable dust		
Chemical Name		Alberta British		Columbia Ontario TWAE		V	Quebec	
Ptfe							TWA: 2.5 mg/m <sup>3</sup>	
9002-84-0								
Talc	TW	/A: 2 mg/m <sup>3</sup>	g/m³ TWA: 2		2 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>		TWA: 3 mg/m <sup>3</sup>	
14807-96-6							-	
Mica	TW	/A: 3 mg/m <sup>3</sup>	TWA: 3	3 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>		TWA: 3 mg/m <sup>3</sup>	
12001-26-2		-						

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection** Wear suitable gloves. Protective gloves. Nitrile rubber. Neoprene gloves. Rubber gloves.

**Skin and body protection** Wear suitable protective clothing. Lightweight protective clothing. Long sleeved clothing.

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Wear suitable

gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and

immediately after handling the product.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical and Chemical Properties** 

Physical state Paste / Gel Appearance Black Odor Pungent

ColorNo information availableOdor ThresholdNo information available

Property Values Remarks Method

H

Melting / freezing point 260 °C None known

Boiling point / boiling range  $316 \, ^{\circ}\text{C}$ Flash Point  $> 221 \, ^{\circ}\text{C}$ 



Evaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability limitNo data availableLower flammability limitNo data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 1.23
Water Solubility Negligible

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water
Autoignition temperature

Decomposition temperature

Kinematic viscosity

Not Available
No data available
No data available
No data available

Dynamic viscosityNo data availableExplosive propertiesNo information availableOxidizing propertiesNo information available

Other Information

Softening Point No information available Molecular Weight No information available

VOC Content (%) Negligible

Liquid DensityNo information availableBulk DensityNo information availableParticle SizeNo information availableParticle Size DistributionNo information available

# 10. STABILITY AND REACTIVITY

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

Conditions to avoid Excessive heat.

**Incompatible materials**None known based on information supplied.

Hazardous Decomposition Products Carbon oxides. Thermal decomposition of product above 300 degrees (C), can create

Carbonyl fluoride, which combines with air and moisture and hydrolyses to Hydrogen

None known

None known

None known

None known

Fluoride and Carbon Dioxide. Other PTFE degradation products include;

perfluoroisobutylene, tetrafluoroethylene, hexafluoropropylene, carbon monoxide and

trifluoromethane.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.



**Skin contact** Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. (based on components). Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons.

**Ingestion** Specific test data for the substance or mixture is not available.

Information on toxicological effects

Symptoms Coughing and/ or wheezing. Difficulty in breathing. Itching. Rashes. Hives.

Numerical measures of toxicity

**Acute Toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 2,304.00 mg/kg
ATEmix (inhalation-dust/mist) 0.05 mg/L

Unknown acute toxicity No information available

**Component Information** 

Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of	= 2280 mg/kg (Rat)		
C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.			

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** No information available.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** May cause sensitization by skin contact.

Germ cell mutagenicity

No information available.

Carcinogenicity

No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity**The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lubricating greases A complex combination of	>1001 mg/l	96h LC50: > 2000 mg/L (Salmo gairdneri)	-	



hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.				
Talc	EC50 72 h: > 1000 mg/L	96h LC50: > 1000 mg/L	10-day LC50 = >	48h EC50: = >1000mg/L
	( Skeletonema costatum)	9	12194mg/kg (Corophium volutator)	9

Persistence and Degradability No information available.

**Bioaccumulation** There is no data for this product.

Mobility No information available.

Other adverse effects No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

# 14. TRANSPORT INFORMATION

DOTNOT REGULATEDProper Shipping NameNON REGULATED

Hazard Class N/A

TDG Not regulated

MEX NOT REGULATED

ICAO NOT REGULATED

IATA Not regulated

Proper Shipping Name NON REGULATED

IMDG Not regulated

RID NOT REGULATED

ADR NOT REGULATED

ADN NOT REGULATED

# 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

\_\_\_\_\_



#### **International Regulations**

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

**Export Notification requirements** Not applicable

#### **International Inventories**

TSCA Complies.

DSL/NDSL Complies.

EINECS/ELINCS Complies.

ENCS Not determined.

KECL Not determined.

PICCS Complies.

AICS Complies.

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### **U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations.



Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Ptfe			X		
9002-84-0					
Talc	Χ	Х	X		X
14807-96-6					
Mica	Х	Х	Х		
12001-26-2					

# **16. OTHER INFORMATION**

NFPA Health hazards 1 Flammability 1 Instability 0 Physical and Chemical Properties -

IMIS Health hazards 1\* Flammability 1 Physical hazards 0 Personal Protection X

Chronic Hazard Star Legend \*= Chronic Health Hazard

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 10-Nov-2011

Revision Date 10-Jan-2019

Revision Note Initial Release

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

